

# Lake Erie Works 2015 Annual Toxics Reduction Report

(O. Reg. 455/09)

Issued November 10, 2016

### **Basic Facility Information**

Section 1 – Faci	lity Information
Owner	U. S. Steel Canada Inc.
Facility name	Lake Erie Works
Address	2330 Regional #3 Road
City	Nanticoke
Province	Ontario
Postal Code	N0A 1L0
	UTM Zone: 17
Spatial Coordinates	UTM Easting: 573853
	UTM Northing: 4740111
Section 2 – Owner	's Mailing Address
Same as above (Y / N)	No
Address	386 Wilcox Street
City	Hamilton
Province	Ontario
Postal code	L8N 3T1
Section 3 – Owner's Pr	rimary Contact Person
Name	John Benson
Title	Manager, Environmental Department
Phone	(519) 587 – 4541 ext 5189
Fax	(519) 587 - 7706
Email address	JBenson@uss.com
Section 4 – Additiona	l Facility Information
NAICS Code	331110
NPRI ID	3855
# of Employees	1341
Licence # of Toxic Substance Reduction Planner	TSRP0050

#### **Basic Facility Information (Cont.)**

Lake Erie Works was commissioned in 1980 making it the most modern integrated steel mill in North America. The plant is located on 1660 hectares of land on the north shore of Lake Erie. Lake Erie Works is an integrated steel plant and produces approximately 2.5 million tonnes of steel per year. Process operations at the plant include Cokemaking, Ironmaking, Basic Oxygen Furnace Steelmaking, Continuous Casting, Hot Strip Rolling and Pickling. There are no finishing operations at the plant.

Raw materials (coal and iron ore) are brought to the area by self-unloading ships. Coal is heated in the Coke Ovens, where volatile components of coal are vapourized and the remaining carbon is transformed into coke. The coke is then used as a reductant in the Blast Furnace. The gas generated during coking fuels the coking battery and is used in the reheat furnaces in the Hot Strip Mill. The liquid components generated during coking are separated in an adjacent By-Products Plant and are sold.

Coke, iron ore pellets, and dolomite are conveyed to the Blast Furnace, which has a capacity to produce 7,000 tonne/day of molten pig iron. From the Blast Furnace, molten iron is carried to the steelmaking shop in specialized railway cars where it is charged into two Basic Oxygen Furnaces. After mixing the molten iron with scrap steel, fluxes and additives, oxygen is blown into the melt to remove carbon and impurities. The molten steel is treated to adjust its composition to meet the requirements of the final product then transferred to the Continuous Casting process.

The casting complex consists of two casting strands in which the molten steel is solidified into steel slabs. Most slabs cast at Lake Erie Works are rolled in the Hot Strip Mill for further processing, although some are sold as slabs.

The hot strip rolling facility reheats the slabs to the desired rolling temperature for converting them into strip. The slab is rolled to a finished thickness of 2-16 millimetres. The strip is then cooled and coiled for sale or further processing off-site. A portion of the hot-rolled strip is processed at the Lake Erie Works Pickle Lines where hydrochloric acid is used to remove iron oxide from the steel surface to produce Pickled & Oiled hot-rolled sheet.

The plant has extensive environmental control measures. Water is recycled extensively and treated before exiting the plant. Air cleaning equipment is used at the Coke Ovens, Blast Furnace and Basic Oxygen Furnaces to minimize emissions. In addition, a detailed landscaping plan was implemented during construction. This includes earthen berms up to 10 meters high surrounding the plant, water filled lagoons and extensive tree planting.

# List of Toxic Substances at the Facility

Substance	Chemical Abstracts Service Number				
Acenaphthylene	208-96-8				
Arsenic	208-90-8				
Benzene	71-43-2				
Benzo(a)anthracene	56-55-3				
Benzo(a)phenanthrene	218-01-9				
Benzo(a)pyrene	50-32-8				
Benzo(b)fluoranthene	205-99-2				
Benzo(g,h,i)perylene	191-24-2				
Benzo(j)fluoranthene	205-82-3				
Benzo(k)fluoranthene	207-08-9				
Butane	**				
Butene	25167-67-3				
Cadmium	**				
Calcium Fluoride	7789-75-5				
Carbon Monoxide	630-08-0				
Chlorine	7782-50-5				
Chromium	**				
Copper	**				
Dibenzo(a,h)anthracene	53-70-3				
Dibenzo(a,i)pyrene	189-55-9				
Ethylene	74-85-1				
Fluoranthene	206-44-0				
Hydrochloric Acid	7647-01-0				
Hydrogen Sulphide	7783-06-4				
Indeno(1,2,3-c,d)pyrene	193-39-5				
Lead	**				
Manganese	**				
Mercury	**				
Methanol	67-56-1				
n-Hexane	110-54-3				
Nickel	**				
Nitrogen Oxides (as NO2)	11104-93-1				
Particulate Matter	**				
Perylene	198-55-0				
Phenanthrene	85-01-8				
PM10	**				
PM2.5	**				
Propane	74-98-6				
Propylene	115-07-1				
Pyrene	129-00-0				
Selenium					
Sulphur Dioxide	7446-09-5				
Toluene	108-88-3				
Total Reduced Sulphur	**				
Vanadium	**				
Volatile Organic Compounds	**				

<sup>\*\*</sup> No single CAS number applies to this substance

### **Summary: Tracking and Quantification**

Substances	Usage	Creation	Destruction	Releases to Water	
	tonnes	tonnes	tonnes	tonnes	
Acenaphthylene	0	> 100 to 1,000	0	0	
Arsenic	> 10 to 100	0	0	0	
Benzene	0	> 1000 to 10,000	0	0.0005	
Benzo(a)anthracene	0	> 10 to 100	0	0.0006	
Benzo(a)phenanthrene	0	> 100 to 1,000	0	0.0009	
Benzo(a)pyrene	0	> 10 to 100	0	0.0006	
Benzo(b)fluoranthene	0	> 10 to 100	0	0.0006	
Benzo(g,h,i)perylene	0	> 1 to 10	0	0.00002	
Benzo(j)fluoranthene	0	> 1 to 10	0	0.00004	
Benzo(k)fluoranthene	0	> 10 to 100	0	0.0004	
Butane	> 100 to 1,000	> 0 to 1	> 100 to 1,000	0	
Butene	0	> 0 to 1	0	0	
Cadmium	> 1 to 10	0	0	0.005	
Calcium Fluoride	> 100 to 1,000	> 10 to 100	> 100 to 1,000	46.8	
Carbon Monoxide	0	> 1,000,000	> 1,000,000	0	
Chlorine	> 100 to 1,000	0	> 100 to 1,000	1.6	
Chromium	> 100 to 1,000	0	0	0.03	
Copper	> 100 to 1,000	0	0	0.05	
Dibenzo(a,h)anthracene	0	> 10 to 100	0	0.0006	
Dibenzo(a,i)pyrene	0	> 10 to 100	0	0.0006	
Ethylene	0	> 1 to 10	0	0	
Fluoranthene	0	> 100 to 1,000	0	0.001	
Hydrochloric Acid	> 1,000 to 10,000	0	0	0	
Hydrogen Sulphide	0	> 10 to 100	> 1 to 10	0	
Indeno(1,2,3-c,d)pyrene	0	> 10 to 100	0	0.0002	
Lead	> 10 to 100	0	0	0.06	
Manganese	> 10,000 to 100,000	0	0	0	
Mercury	> 0 to 1	0	0	0	
Methanol	0	> 1 to 10 0		0	
n-Hexane	> 100 to 1,000	0	> 100 to 1,000	0	
Nickel	> 100 to 1,000	0	0	0	
NOx (as NO2)	0	> 1,000 to 10,000	0	0	
Particulate Matter	0	> 1,000 to 10,000	> 1,000 to 10,000	0	
Perylene	0	> 10 to 100	0	0.0001	
Phenanthrene	0	> 100 to 1,000	0	0.002	
PM10	0	> 1,000 to 10,000	> 1,000 to 10,000	0	
PM2.5	0	> 1,000 to 10,000	> 1,000 to 10,000	0	
Propane	> 100 to 1,000	> 0 to 1	> 100 to 1,000	0	
Propylene	0	> 1 to 10	0	0	
Pyrene	0	> 100 to 1,000	0	0.001	
Selenium	> 10 to 100	0	0	0	
Sulphur Dioxide	0	> 1,000 to 10,000	0	0	
Toluene	0	> 100 to 1,000	0	0	
Total Reduced Sulphur	0	> 100 to 1,000	> 1 to 10	0	
Vanadium	> 100 to 1,000	0	0	0	
		>10,000 to	>10,000 to		
VOCs	> 100 to 1,000	100,000	100,000	0	

# **Summary: Tracking and Quantification (Cont.)**

Substances	Releases to Air	Disposal (on- site)	Recycling	Contained in Product
	tonnes	tonnes	Tonnes	tonnes
Acenaphthylene	0.10	0	0	> 100 to 1,000
Arsenic	0.01	3.5	0.8	> 10 to 100
Benzene	20.6	0	0	> 1,000 to 10,000
Benzo(a)anthracene	0.03	0	0	> 10 to 100
Benzo(a)phenanthrene	0.07	0	0	> 100 to 1,000
Benzo(a)pyrene	0.03	0	0	> 10 to 100
Benzo(b)fluoranthene	0.03	0	0	> 10 to 100
Benzo(g,h,i)perylene	0.0008	0	0	> 1 to 10
Benzo(j)fluoranthene	0.002	0	0	> 1 to 10
Benzo(k)fluoranthene	0.02	0	0	> 10 to 100
Butane	3.62	0	0	0
Butene	1.05	0	0	0
Cadmium	0.004	2.2	0.1	> 0 to 1
Calcium Fluoride	0.004	0	0.1	0
Carbon Monoxide	2656	0	0	0
Carbon Monoxide Chlorine	0	0	0	0
	0.02	59	267	> 100 to 1,000
Chromium				
Copper	0.01	22	24	> 100 to 1,000 > 10 to 100
Dibenzo(a,h)anthracene	0.03	0	0	
Dibenzo(a,i)pyrene	0.03	0	0	> 10 to 100
Ethylene	5.8	0	0	0
Fluoranthene	0.06	0	0	> 100 to 1,000
Hydrochloric Acid	0.2	0	9640	0
Hydrogen Sulphide	54	0	0	0
Indeno(1,2,3-c,d)pyrene	0.01	0	0	> 10 to 100
Lead	0.03	0	5.0	> 1 to 10
Manganese	1.8	1649	4748	> 10,000 to 100,000
Mercury	0.02	0.009	0.013	> 0 to 1
Methanol	2.4	0	0	0
n-Hexane	2.5	0	0	0
Nickel	0.005	19.1	15.0	> 100 to 1,000
NOx (as NO2)	1462	0	0	0
Particulate Matter	4016	0	. 0	0
Perylene	0.008	0	0	> 10 to 100
Phenanthrene	0.1	0	0	> 100 to 1,000
PM10	1767	0	0	0
PM2.5	589	0	. 0	0
Propane	2.8	. 0	0	0
Propylene	1.2	0	0	0
Pyrene	0.05	0	0	> 100 to 1,000
Selenium	0.0009	0.9	3.1	> 10 to 100
Sulphur Dioxide	3525	0	0	0
Toluene	3.8	0	0	> 100 to 1,000
Total Reduced Sulphur	54	0	0	0
Vanadium	0.04	666	127	> 1 to 10
VoCs	145	0	0	0
	117	1	•	1

### Comparison of Tracking and Quantification (2015) to Previous Reporting Periods (2014)

Substances	Usage	Creation	Releases to Water	Releases to Air	Disposal (on-site)	Recycling	Contained in Product
	Percent Change (%)						
Acenaphthylene	0	76.5	0	233.3	0	0	76.5
Arsenic	-33.3	0	0	0	105.9	N/A	-36.2
Benzene	0	391.3	-75	186.1	0	0	392.8
Benzo(a)anthracene	0	76.7	500	200	0	0	76.7
Benzo(a)phenanthrene	0	77.2	350	250	0	0	77.2
Benzo(a)pyrene	0	78.0	500	200	0	0	78.0
Benzo(b)fluoranthene	0	73.2	500	200	0	0	73.2
Benzo(g,h,i)perylene	NR	NR	NR	NR	NR	NR	NR
Benzo(j)fluoranthene	NR	NR	NR	NR	NR	NR	NR
Benzo(k)fluoranthene	0	76.9	471.4	233.3	0	0	76.9
Butane	-29.5	200.0	0	-19.2	0	0	0
Butene	NR	NR	NR	NR	NR	NR	NR
Cadmium	-21.1	0	-54.5	0	-29.0	N/A	200
Calcium Fluoride	-27.6	9.3	10.1	-33.3	0	0	0
Carbon Monoxide	0	-13.8	0	-20.6	0	0	0
Chlorine	3.2	0	23.1	0	0	0	0
Chromium	-47.0	0	50	0	-11.9	-9.8	-57.3
Copper	-32.6	0	25	0	-12	-4	-36.8
Dibenzo(a,h)anthracene	0	76.1	500	200	0	0	76.1
Dibenzo(a,i)pyrene	0	78.0	500	200	0	0	78.0
Ethylene	0	222.2	0	222.2	0	0	0
Fluoranthene	0	75.9	400	200	0	0	75.9
Hydrochloric Acid	125.3	0	0	-33.3	0	125.3	0
Hydrogen Sulphide	0	44.2	0	38.5	0	0	0
Indeno(1,2,3-c,d)pyrene	NR	NR	NR	NR	NR	NR	NR
Lead	-75.3	0	-33.3	0	-100	-12.3	50
Manganese	-25.7	0	0	-10	-4.4	-36.2	-18.7
Mercury	0	0	0	300	-94.1	-62.9	171.4
Methanol	NR	NR	NR	NR	NR	NR	NR
n-Hexane	-28.6	0	0	-28.6	0	0	0
Nickel	-33.6	0	0	0	130.1	2.0	-37.3
NOx (as NO2)	0	4.9	0	4.9	0	0	0
Particulate Matter	0	18.2	0	49.9	0	0	0
Perylene	NR	NR	NR	NR	NR	NR	NR
Phenanthrene	0	76.3	400	233.3	0	0	76.3
PM10	0	13.9	0	51.9	0	0	0
PM2.5	0	8.9	0	35.1	0	0	0
Propane	-29.3	300.0	0	-17.6	0	0	0
Propylene	NR	NR	NR	NR	NR	NR	NR
Pyrene	0	75.3	400	150	0	0	75.3
Selenium	-20	0	0	200	-10	-16.2	-18.8
Sulphur Dioxide	0	145.0	0	145	0	0	0
Toluene	0	217.5	0	280	0	0	217.1
Total Reduced Sulphur	0	44.2	0	38.5	0	0	0
Vanadium	-33.5	0	0	0	-11.9	-11.8	50
VOCs	-24.9	226.2	0	163.6	0	0	0
*NID auhatanaa	1 27.7	in the marrie	NI/A		0 1	o coloulated d	

<sup>\*</sup>NR – substance not reported in the previous year; N/A - % change could not be calculated due to starting quantity being 0; Negative values indicate a decrease in quantity in 2015 compared to 2014

Substances	Usage	Creation	Releases	Releases	Disposal	Recycling	Contained
Substances			to Water	to Air	(on-site)		in Product
Acenaphthylene	Quantity Change (tonnes)  > 100 to   0.07   0.00   > 100 to						> 100 to
•	0	1,000	0	0.07	0	0	1,000
Arsenic	> -10 to -100	0	0	0	1.8	0.8	> -10 to -100
Benzene	0	> 1,000 to 10,000	-0.0015	13.4	0	0	> 1,000 to 10,000
Benzo(a)anthracene	0	> 10 to 100	0.0005	0.02	0	0	> 10 to 100
Benzo(a)phenanthrene	0	> 10 to 100	0.0007	0.05	0	0	> 10 to 100
Benzo(a)pyrene	0	> 10 to 100	0.0005	0.02	0	0	> 10 to 100
Benzo(b)fluoranthene	0	> 10 to 100	0.0005	0.02	0	0	> 10 to 100
Benzo(g,h,i)perylene	NR	NR	NR	NR	NR	NR	NR
Benzo(j)fluoranthene	NR	NR	NR	NR	NR	NR	NR
Benzo(k)fluoranthene	0	> 10 to 100	0.00033	0.014	0	0	> 10 to 100
Butane	> -100 to -1,000	> 0 to 1	o	-0.86	0	0	0
Butene	NR	NR	NR	NR	NR	NR	NR
Cadmium	> 0 to -1	0	-0.006	0	-0.9	0.1	> 0 to 1
Calcium Fluoride	> -100 to -1,000	> 1 to 10	4.3	-0.2	0	0	0
Carbon Monoxide	0	> -1,000,000	0	-689	0	0	0
Chlorine	> 10 to 100	0	0.3	0	0	0	0
Chromium	>-100 to -1,000	0	0.01	0	-8	-29	> -100 to -1,000
Copper	> -100 to -1,000	0	0.01	0	-3	-1	> -100 to -1,000
Dibenzo(a,h)anthracene	0	> 10 to 100	0.0005	0.02	0	0	> 10 to 100
Dibenzo(a,i)pyrene	0	> 10 to 100	0.0005	0.02	0	0	> 10 to 100
Ethylene	0	> 1 to 10	0	4	0	0	0
Fluoranthene	0	> 10 to 100	0.0008	0.04	0	0	> 10 to 100
Hydrochloric Acid	> 1,000 to 10,000	0	0	-0.1	0	5361	0
Hydrogen Sulphide	0	> 10 to 100	0	15	0	0	0
Indeno(1,2,3-c,d)pyrene	NR	NR	NR	NR	NR	NR	· NR
Lead	> -10 to -100	0	-0.03	0	-247	-0.7	> 0 to 1
Manganese	> -1,000 to -10,000	0	0	-0.2	-76	-2697	> -1,000 to -10,000
Mercury	0	0	0	0.015	-0.144	-0.022	> 0 to 1
Methanol	NR	NR	NR	NR	NR	NR	NR
n-Hexane	> -100 to -1,000	0	0	-1	0	0	0
Nickel	>-100 to -1,000	0	0	0	10.8	0.3	> -100 to -1,000
NOx (as NO2)	0	> 10 to 100	0	68	0	0	0
Particulate Matter	0	> 1,000 to 10,000	0	1338	0	0	0
Perylene	NR	NR	NR	NR	NR	NR	NR
Phenanthrene	0	> 100 to 1,000	0.0016	0.07	0	0	> 100 to 1,000
PM10	0	> 100 to 1,000	0	604	0	0	0
PM2.5	0	> 100 to 1,000	0	153	0	0	0
Propane	> -10 to -100	> 0 to 1	0	-0.6	0	0	0

Propylene	NR	NR	NR	NR	NR	NR	NR
Pyrene	0	> 10 to 100	0.0008	0.03	0	0	> 10 to 100
Selenium	> -1 to -10	0	0	0.0006	-0.1	-0.6	> -1 to -10
Sulphur Dioxide	0	> 1,000 to 10,000	0	2086	0	0	0
Toluene	0	> 100 to 1,000	0	2.8	0	0	> 100 to 1,000
Total Reduced Sulphur	0	> 10 to 100	0	- 15	0	0	0
Vanadium	> -10 to -100	0	0	0	-90	-17	> 0 to 1
VOCs	> -100 to -1,000	> 1,000 to 10,000	Ó	90	0	0	0

\*NR – substance not reported in the previous year; N/A - % change could not be calculated due to starting quantity being 0; Negative values indicate a decrease in quantity in 2015 compared to 2014

The following substances are primarily associated with cokemaking operations: acenaphthylene, benzene, benzo(a)anthracene, benzo(a)phenanthrene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(j)fluoranthene, benzo(g,h,i)perylene, butene, dibenzo(a,h)anthracene, dibenzo(a,i)pyrene, indeno(1,2,3-c,d)pyrene, fluoranthene, ethylene, methanol, perylene, phenanthrene, propylene, pyrene, toluene, total reduced sulphur, hydrogen sulphide, sulphur dioxide and volatile organic compounds.

Lake Erie Works' coke battery was temporarily idled in April of 2013 due to a work stoppage and re-started in September of 2014. Therefore the coke battery was operational for only four months in 2014 compared to twelve months in 2015. As a result of increased coke production in 2015 compared to 2014, the "creation", "contained in product", "releases to air and water" quantities related to the abovementioned substances also increased in 2015 compared to 2014.

The following substances are primarily related to ironmaking and steelmaking operations: arsenic, cadmium, chromium, copper, lead, manganese, nickel, vanadium, selenium, mercury, calcium fluoride, n-hexane, carbon monoxide, butane and propane.

Usage quantities of the noted substances were lower in 2015 due to reduced steel production compared to 2014. Some variability is observed in quantities reported under "releases to air", "releases to water" as well as "contained in product". Due to the batch process (rather than continues process) nature of ironmaking and steelmaking operations, some of the samples collected and used to determine compositions may not be representative of "releases to air", "releases to water" and "contained in product" throughout the entire calendar year. Substance quantities are also impacted by the disposal and recycling of secondary materials which vary from one year to another (example: the timing in which some secondary materials are sent to landfill, or recycled back into commerce as a useful raw material for other applications).

The following substances are impacted by all operations at Lake Erie Works: nitrogen oxides, chlorine, particulate matter, PM2.5 and PM10.

The quantities associated with "creation" and "releases to air" increased in 2015 compared to 2014 because contributions associated with the increased cokemaking production were more significant than those contributions associated with a reduction in steel production. As the primary oxidizing agent, the "usage" and "releases to water" for chlorine increased in 2015 as more water was processed at the on-site wastewater treatment plant.

#### **Reduction Objectives**

Please refer to the Reduction Summary Plans for the reduction objective for each substance: <a href="http://www.ourcommunityourfuture.com/wp-content/uploads/2013/06/TRA-Reducation-Plan-Summary-Issued-2012-LEW.pdf">http://www.ourcommunityourfuture.com/wp-content/uploads/2013/06/TRA-Reducation-Plan-Summary-Issued-2012-LEW.pdf</a>

http://www.ourcommunityourfuture.com/wp-content/uploads/2013/06/U.-S.-Steel-Canada-Lake-Erie-Works-2013-Toxic-Substance-Reduction-Summary-Plans.pdf

### Steps Taken to Achieve Objectives and Assess Effectiveness

The substances reported by Lake Erie Works are either required for its products and processes, are generated as unavoidable by-products, or are incidental trace elements in raw materials. Where feasible, these substances are managed by recycling and maintaining inventories that are as low as possible.

For further details please refer to the following two web links: <a href="http://www.ourcommunityourfuture.com/wp-content/uploads/2013/06/TRA-Reducation-Plan-Summary-Issued-2012-LEW.pdf">http://www.ourcommunityourfuture.com/wp-content/uploads/2013/06/TRA-Reducation-Plan-Summary-Issued-2012-LEW.pdf</a>

 $\frac{http://www.ourcommunityourfuture.com/wp-content/uploads/2013/06/U.-S.-Steel-Canada-Lake-Erie-Works-2013-Toxic-Substance-Reduction-Summary-Plans.pdf$ 

### Certification

As of *November 10, 2016*, I *John Benson*, certify that I have read the records created for the purposes of section 11.2 of Ontario Regulation 455/09(General) made under the Toxics Reductions Act, (2009) in respect of the use and creation of the toxic substances referred to above and am familiar with their contents and to my knowledge they are factually accurate.

John Benson

Environmental Manager

U. S. Steel Canada Inc – Lake Erie Works