

The Steel Company of Canada

Lake Erie Works 2018 Annual Toxics Reduction Report

(O. Reg. 455/09)

Issued June 1, 2019

Basic Facility Information

Section 1 – Facility Information					
Owner	Stelco Inc.				
Facility name	Lake Erie Works				
Address	2330 Regional #3 Road				
City	Nanticoke				
Province	Ontario				
Postal Code	N0A 1L0				
	UTM Zone: 17				
Spatial Coordinates	UTM Easting: 573853				
	UTM Northing: 4740111				
Section 2 – Owner	's Mailing Address				
Same as above (Y / N)	No				
Address	386 Wilcox Street				
City	Hamilton				
Province	Ontario				
Postal code	L8L 8K5				
Section 3 – Owner's P	rimary Contact Person				
Name	John Benson				
Title	Manager, Environmental Department				
Phone	(519) 587 – 4541 ext 5189				
Fax	(519) 587 - 7706				
Email address	John.Benson@Stelco.com				
Section 4 – Additiona	l Facility Information				
NAICS Code	331110				
NPRI ID	3855				
# of Employees	1426				
Licence # of Toxic Substance Reduction Planner	TSRP0050				

Basic Facility Information (Cont.)

Lake Erie Works was commissioned in 1980 making it the most modern integrated steel mill in North America. The plant is located on 1660 hectares of land on the north shore of Lake Erie. Lake Erie Works is an integrated steel plant and produces approximately 2.5 million tonnes of steel per year. Process operations at the plant include Cokemaking, Ironmaking, Basic Oxygen Furnace Steelmaking, Continuous Casting, Hot Strip Rolling and Pickling. There are no finishing operations at the plant.

Raw materials (coal and iron ore) are brought to the area by self-unloading ships. Coal is heated in the Coke Ovens, where volatile components of coal are vapourized and the remaining carbon is transformed into coke. The coke is then used as a reductant in the Blast Furnace. The gas generated during coking fuels the coking battery and is used in the reheat furnaces in the Hot Strip Mill. The liquid components generated during coking are separated in an adjacent By-Products Plant and are sold.

Coke, iron ore pellets, and dolomite are conveyed to the Blast Furnace, which has a capacity to produce 7,000 tonne/day of molten pig iron. From the Blast Furnace, molten iron is carried to the steelmaking shop in specialized railway cars where it is charged into two Basic Oxygen Furnaces. After mixing the molten iron with scrap steel, fluxes and additives, oxygen is blown into the melt to remove carbon and impurities. The molten steel is treated to adjust its composition to meet the requirements of the final product then transferred to the Continuous Casting process.

The casting complex consists of two casting strands in which the molten steel is solidified into steel slabs. Most slabs cast at Lake Erie Works are rolled in the Hot Strip Mill for further processing, although some are sold as slabs.

The hot strip rolling facility reheats the slabs to the desired rolling temperature for converting them into strip. The slab is rolled to a finished thickness of 2-16 millimetres. The strip is then cooled and coiled for sale or further processing off-site. A portion of the hot-rolled strip is processed at the Lake Erie Works Pickle Lines where hydrochloric acid is used to remove iron oxide from the steel surface to produce Pickled & Oiled hot-rolled sheet.

The plant has extensive environmental control measures. Water is recycled extensively and treated before exiting the plant. Air cleaning equipment is used at the Coke Ovens, Blast Furnace and Basic Oxygen Furnaces to minimize emissions. In addition, a detailed landscaping plan was implemented during construction. This includes earthen berms up to 10 meters high surrounding the plant, water filled lagoons and extensive tree planting.

List of Toxic Substances at the Facility

Substance	Chemical Abstracts Service Number				
Acenaphthylene	208-96-8				
Arsenic	**				
Benzene	71-43-2				
Benzo(a)anthracene	56-55-3				
Benzo(a)phenanthrene	218-01-9				
Benzo(a)pyrene	50-32-8				
Benzo(b)fluoranthene	205-99-2				
Benzo(g,h,i)perylene	191-24-2				
Benzo(j)fluoranthene	205-82-3				
Benzo(k)fluoranthene	207-08-9				
Butane	**				
	25167-67-3				
Butene	2310/-0/-3 **				
Cadmium	7789-75-5				
Calcium Fluoride					
Carbon Monoxide	630-08-0 7782-50-5				
Chlorine	//82-30-3				
Chromium	**				
Cobalt	**				
Copper					
Dibenzo(a,h)anthracene	53-70-3				
Dibenzo(a,i)pyrene	189-55-9				
Ethylene	74-85-1				
Fluoranthene	206-44-0				
Hydrochloric Acid	7647-01-0				
Hydrogen Sulphide	7783-06-4				
Indeno(1,2,3-c,d)pyrene	193-39-5				
Lead	**				
Manganese	**				
Mercury	**				
Methanol	67-56-1				
n-Hexane	110-54-3				
Nickel	**				
Nitrogen Oxides (as NO2)	11104-93-1				
Particulate Matter	**				
Perylene	198-55-0				
Phenanthrene	85-01-8				
PM10	**				
PM2.5	**				
Propane	74-98-6				
Propylene	115-07-1				
Pyrene	129-00-0				
Selenium	**				
Sulphur Dioxide	7446-09-5				
Toluene	108-88-3				
Total Reduced Sulphur	**				
Vanadium	**				
Volatile Organic Compounds	**				

^{**} No single CAS number applies to this substance

Summary: Tracking and Quantification

Substances	Usage	Creation	Destruction	Releases to Water
	tonnes	tonnes	tonnes	tonnes
Acenaphthylene	0	> 1000 to 10,000 0		0
Arsenic	> 10 to 100	0 0		0
Benzene	0	> 1000 to 10,000	0	0.001
Benzo(a)anthracene	0	> 100 to 1,000	0	0.0007
Benzo(a)phenanthrene	0	> 100 to 1,000	0	0.001
Benzo(a)pyrene	0	> 100 to 1,000	0	0.0006
Benzo(b)fluoranthene	0	> 100 to 1,000	0	0.0006
Benzo(g,h,i)perylene	0	> 1 to 10	0	0.00002
Benzo(j)fluoranthene	0	> 10 to 100	0	0.00004
Benzo(k)fluoranthene	0	> 100 to 1,000	0	0.0004
Butane	> 100 to 1,000	> 0 to 1	> 100 to 1,000	0
Butene	0	> 1 to 10	0	0
Cadmium	> 1 to 10	0	0	0.023
Calcium Fluoride	> 100 to 1,000	> 10 to 100	> 100 to 1,000	57.1
Carbon Monoxide	0	> 1,000,000	> 1,000,000	0
Chlorine	> 100 to 1,000	0	> 1,000,000 > 100 to 1,000	0.758
Chromium	> 100 to 1,000 > 1000 to 10,000	0	0	0.049
Cobalt	> 1000 to 10,000	0	0	0.042
	> 1,000 to 10,000	0	0	0.067
Copper Dibanga(a h)anthragana	0	> 100 to 1,000	0	0.007
Dibenzo(a,h)anthracene	0	> 100 to 1,000 > 100 to 1,000	0	0.0007
Dibenzo(a,i)pyrene			0	0.0000
Ethylene	0	> 1 to 10	0	0.001
Fluoranthene	0	> 100 to 1,000		0.001
Hydrochloric Acid	> 10,000 to 100,000	0 > 10 to 100	> 100 to 1,000 > 1 to 10	0
Hydrogen Sulphide	0	> 10 to 100 > 100 to 1,000	0	0.0002
Indeno(1,2,3-c,d)pyrene		0	0	0.044
Lead	> 10 to 100		0	0.044
Manganese	> 10,000 to 100,000	0	0	0
Mercury	> 0 to 1		0	0
Methanol	0	> 1 to 10	> 100 to 1,000	0
n-Hexane	> 100 to 1,000	0		0
Nickel	> 100 to 1,000	0	0	0
NOx (as NO2)	0	> 1,000 to 10,000	0	0
Particulate Matter	0	> 1,000 to 10,000	> 1,000 to 10,000	
Perylene	0	> 10 to 100	0	0.0002
Phenanthrene	0	> 1000 to 10,000	0	0.002
PM10	0	> 1,000 to 10,000	> 1,000 to 10,000	0
PM2.5	0	> 1,000 to 10,000	> 1,000 to 10,000	0
Propane	> 100 to 1,000	> 0 to 1	> 100 to 1,000	0
Propylene	0	> 1 to 10	0	0
Pyrene	0	> 100 to 1,000	0	0.001
Selenium	> 10 to 100	0	0	0
Sulphur Dioxide	0	> 1,000 to 10,000	0	0
Toluene	0	> 100 to 1,000	0	0
Total Reduced Sulphur	0	> 10 to 100	> 1 to 10	0
Vanadium	> 10 to 100	0	0	0
VOCs	> 1,000 to 10,000	>10,000 to 100,000	>10,000 to 100,000	0

Summary: Tracking and Quantification (Cont.)

Substances	Releases to Air	Disposal (on- site)	Recycling	Contained in Product
	tonnes	tonnes	Tonnes	tonnes
Acenaphthylene	0.099	0	0	> 1000 to 10,000
Arsenic	0.017	0.949	4.5	> 10 to 100
Benzene	21.6	0	0	> 1,000 to 10,000
Benzo(a)anthracene	0.032	0	0	> 100 to 1,000
Benzo(a)phenanthrene	0.069	0	0	> 100 to 1,000
Benzo(a)pyrene	0.03	0	0	> 100 to 1,000
Benzo(b)fluoranthene	0.03	0	0	> 100 to 1,000
Benzo(g,h,i)perylene	0.0008	0	0	> 1 to 10
Benzo(j)fluoranthene	0.002	0	0	> 10 to 100
Benzo(k)fluoranthene	0.019	0	0	> 100 to 1,000
Butane	5.26	0	0	0
Butene	1.11	0	0	0
Cadmium	0.004	0.566	0.2	> 0 to 1
Calcium Fluoride	0.004	0.500	0.2	0
Carbon Monoxide	3841	0	0	0
Chlorine	0	0	0	0
	0.022	25.9	208.9	> 100 to 1,000
Chromium	0.022	0.422	2.2	> 100 to 1,000
Cobalt	0.003	5.83	21.7	> 1,000 to 10,000
Copper	0.034	0	0	> 1,000 to 10,000 > 100 to 1,000
Dibenzo(a,h)anthracene			0	> 100 to 1,000 > 100 to 1,000
Dibenzo(a,i)pyrene	0.03	0		0
Ethylene	6.12	0	0	
Fluoranthene	0.065	0	0	> 100 to 1,000
Hydrochloric Acid	0.202	0	15879	0
Hydrogen Sulphide	61.8	0	0	<u> </u>
Indeno(1,2,3-c,d)pyrene	0.012	0	0	> 100 to 1,000
Lead	0.033	0	5.8	> 1 to 10
Manganese	2.08	416	5004	> 10,000 to 100,000
Mercury	0.017	0.014	0.012	> 0 to 1
Methanol	2.58	0	0	0
n-Hexane	3.92	0	0	0
Nickel	0.006	4.7	17.6	> 100 to 1,000
NOx (as NO2)	1758	0	0	0
Particulate Matter	2612	0	0	0
Perylene	0.008	0	0	> 10 to 100
Phenanthrene	0.1	0	0	> 1000 to 10,000
PM10	1143	0	0	0
PM2.5	523	0	0	0
Propane	4.0	0	0	0
Propylene	1.22	0	0	0
Pyrene	0.054	0	0	> 100 to 1,000
Selenium	0.0009	0.25	3.49	> 1 to 10
Sulphur Dioxide	3766	0	0	0
Toluene	3.99	0	0	> 100 to 1,000
Total Reduced Sulphur	61.8	0	0	0
Vanadium	0.04	8.25	114.1	> 1 to 10
VOCs	157	0	0	0

Comparison of Tracking and Quantification (2018) to Previous Reporting Periods (2017)

Substances	Usage	Creation	Releases to Water	Releases to Air	Disposal (on-site)	Recycling	Contained in Product
			Pe	ercent Chang	ge (%)		
Acenaphthylene	0.0	48.1	0.00	1.22	0.0	0.0	48.1
Arsenic	-12.9	0.0	0.00	0.0	12.0	7.91	-28.1
Benzene	0.0	15.14	0.00	7.12	0.0	0.0	15.2
Benzo(a)anthracene	0.0	48.1	0.00	1.22	0.0	0.0	48.1
Benzo(a)phenanthrene	0.0	48.1	0.00	1.22	0.0	0.0	48.1
Benzo(a)pyrene	0.0	48.1	0.00	1.22	0.0	0.0	48.1
Benzo(b)fluoranthene	0.0	48.1	0.00	1.22	0.0	0.0	48.1
Benzo(g,h,i)perylene	0.0	48.1	0.00	1.22	0.0	0.0	48.1
Benzo(j)fluoranthene	0.0	48.1	0.00	1.22	0.0	0.0	48.1
Benzo(k)fluoranthene	0.0	48.1	0.00	1.22	0.0	0.0	48.1
Butane	27.8	7.1	0.00	25.06	0.0	0.0	0.0
Butene	0.0	7.08	0.00	7.08	0.0	0.0	0.0
Cadmium	17.3	0.0	-7.69	3.74	12.02	3.57	-1.31
Calcium Fluoride	-2.18	0.35	0.35	0.0	0.0	0.0	0.0
Carbon Monoxide	0.0	15.92	0.00	26.8	0.0	0.0	0.0
Chlorine	270.4	0.0	16.96	0.0	0.0	0.0	0.0
Chromium	8.94	0.0	83.27	4.81	12.03	27.73	-21.05
Cobalt	29.15	0.0	0.00	3.09	12.02	18.45	4.19
Copper	8.9	0.0	6.10	12.56	12.03	14.69	6.86
Dibenzo(a,h)anthracene	0.0	48.1	0.00	1.22	0.0	0.0	48.1
Dibenzo(a,i)pyrene	0.0	48.1	0.00	1.22	0.0	0.0	48.1
Ethylene	0.0	7.08	0.00	7.08	0.0	0.0	0.0
Fluoranthene	0.0	48.1	0.00	0.0	0.0	0.0	48.1
Hydrochloric Acid	55.69	0.0	-98.68	16.66	0.0	-22.15	0.0
Hydrogen Sulphide	0.0	5.32	0.00	6.04	0.0	0.0	0.0
Indeno(1,2,3-c,d)pyrene	0.0	48.1	0.00	1.22	0.0	0.0	48.1
Lead	20.61	0.0	-32.76	15.95	0.0	-7.7	1.49
Manganese	19.74	0.0	0.00	8.39	12.02	17.84	-1.81
Mercury	40.20	0.0	0.00	7.08	12.02	-3.53	3.75
Methanol	0.0	7.08	0.00	7.08	0.0	0.0	0.0
n-Hexane	29.78	0.0	0.00	29.78	0.0	0.0	0.0
Nickel	6.04	0.0	0.00	5.36	12.03	17.04	4.43
NOx (as NO2)	0.0	13.64	0.00	13.64	0.0	0.0	0.0
Particulate Matter	0.0	0.19	0.00	2.71	0.0	0.0	0.0
Perylene	0.0	48.1	0.00	1.22	0.0	0.0	48.1
Phenanthrene	0.0	48.1	0.00	1.22	0.0	0.0	48.1
PM10	0.0	-0.41	0.00	3.56	0.0	0.0	0.0
PM2.5	0.0	0.13	0.00	8.44	0.0	0.0	0.0
Propane	27.85	7.08	0.00	25.07	0.0	0.0	0.0
Propylene	0.0	7.08	0.00	7.08	0.0	0.0	0.0
Pyrene	0.0	48.1	0.00	1.22	0.0	0.0	48.1
Selenium	37.95	0.0	0.00	0.0	12.02	10.93	0.69
Sulphur Dioxide	0.0	8.26	0.00	8.26	0.0	0.0	0.0
Toluene	0.0	12.31	0.00	8.88	0.0	0.0	12.33
Total Reduced Sulphur	0.0	5.32	0.00	6.04	0.0	0.0	0.0
Vanadium	1.03	0.0	0.00	10.07	-95.84	26.45	2.10
VOCs	25.81	7.78	0.00	9.09	0.0	0.0	0.0

Negative values indicate a decrease in quantity in 2018 compared to 2017

Substances	Usage	Creation	Releases to Water	Releases to Air	Disposal (on-site)	Recycling	Contained in Product
	Quantity Change (tonnes)						
Acenaphthylene	0	> 100 to 1,000	0.002	0.001	0	0	> 100 to 1,000
Arsenic	< -1 to -10	0	0	0.003	0.10	1.28	< -1 to -10
Benzene	0	> 100 to 1,000	-0.001	1.44	0	0	> 100 to 1,000
Benzo(a)anthracene	0	> 100 to 1,000	0	0.0004	0	0	> 100 to 1,000
Benzo(a)phenanthrene	0	> 100 to 1,000	0.0004	0.0008	0	0	> 100 to 1,000
Benzo(a)pyrene	0	> 100 to 1,000	0	0.0004	0	0	> 100 to 1,000
Benzo(b)fluoranthene	0	> 100 to 1,000	0	0.0004	0	0	> 100 to 1,000
Benzo(g,h,i)perylene	0	> 1 to 10	0	0.00001	0	0	> 1 to 10
Benzo(j)fluoranthene	0	> 1 to 10	0	0.00003	0	0	> 1 to 10
Benzo(k)fluoranthene	0	> 10 to 100	0	0.0002	0	0	> 10 to 100
Butane	> 100 to 1,000	> 0 to 1	0	1.05	0	0	0
Butene	0	> 0 to 1	0	0.07	0	0	0
Cadmium	> 0 to 1	0	-0.002	0.001	0.061	0.006	< 0 to -1
Calcium Fluoride	< -10 to -100	> 0 to 1	0.2	0	0	0	0
Carbon Monoxide	0	> 1,000,000	0	811.9	0	0	0
Chlorine	> 100 to 1,000	0	0.11	0	0	0	0
Chromium	> 10 to 100	0	0.02	0.001	2.78	45.4	<-100 to -1,000
Cobalt	> 1 to 10	0	0	0.001	0.045	0.34	> 0 to 1
Copper	> 100 to 1,000	0	0.004	0.001	0.63	2.78	> 10 to 100
Dibenzo(a,h)anthracene	0	> 100 to 1,000	0	0.004	0	0	> 100 to 1,000
Dibenzo(a,i)pyrene	0	> 100 to 1,000	0	0.004	0	0	> 100 to 1,000
Ethylene	0	> 0 to 1	0	0.4	0	0	0
Fluoranthene	0	> 100 to 1,000	0	0.0008	0	0	> 100 to 1,000
Hydrochloric Acid	> 1,000 to 10,000	0	0	0.029	0	-4519	0
Hydrogen Sulphide	0	> 1 to 10	0	3.52	0	0	0
Indeno(1,2,3-c,d)pyrene	0	> 10 to 100	0	0.0001	0	0	> 10 to 100
Lead	> 1 to 10	0	-0.02	-0.49	0	2.79	> 0 to 1
Manganese	> 1,000 to 10,000	0	0	0.16	44.75	757.8	<-100 to -1,000
Mercury	> 0 to 1	0	0	0.001	0.002	-0.0004	> 0 to 1
Methanol	0	> 0 to 1	0	0.17	0	0	0
n-Hexane	> 10 to 100	0	0	0.89	0	0	0
Nickel	> 10 to 100	0	0	0.0003	0.51	2.56	> 10 to 100
NOx (as NO2)	0	> 100 to 1,000	0	211.1	0	0	0
Particulate Matter	0	> 10 to 100	0	68.83	0	0	0
Perylene	0	> 10 to 100	0	0.0001	0	0	> 10 to 100
Phenanthrene	0	> 100 to 1,000	0	0.001	0	0	> 100 to 1,000
i							

PM2.5	0	> 1 to 10	0	40.76	0	0	0
Propane	> 10 to 100	> 0 to 1	0	0.8	0	0	0
Propylene	0	> 0 to 1	0	0.08	0	0	0
Pyrene	0	> 100 to 1,000	0	0.07	0	0	> 100 to 1,000
Selenium	> 1 to 10	0	0	0.00006	0.026	0.34	> 0 to 1
Sulphur Dioxide	0	> 100 to 1,000	0	287.3	0	0	0
Toluene	0	> 10 to 100	0	0.033	0	0	> 10 to 100
Total Reduced Sulphur	0	> 1 to 10	0	3.52	0	0	0
Vanadium	> 0 to 1	0	0	0.004	-190.62	23.86	> 0 to 1
VOCs	> 100 to 1,000	> 1,000 to 10,000	0	13.1	0	0	0

Negative values indicate a decrease in quantity in 2018 compared to 2017

The following substances are primarily associated with cokemaking operations: acenaphthylene, benzene, benzo(a)anthracene, benzo(a)phenanthrene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(b)fluoranthene, benzo(g,h,i)perylene, butene, dibenzo(a,h)anthracene, dibenzo(a,i)pyrene, indeno(1,2,3-c,d)pyrene, fluoranthene, ethylene, methanol, perylene, phenanthrene, propylene, pyrene, toluene, total reduced sulphur, hydrogen sulphide, sulphur dioxide and volatile organic compounds.

As a result of increased coke production in 2018 compared to 2017, the "creation", "contained in product", "releases to air and water" quantities related to the abovementioned substances also increased in 2018 compared to 2017.

The following substances are primarily related to ironmaking and steelmaking operations: arsenic, cadmium, chromium, cobalt, copper, lead, manganese, nickel, vanadium, selenium, mercury, calcium fluoride, n-hexane, carbon monoxide, butane and propane.

Usage quantities of most of the noted substances were higher in 2018 due to increased steel production compared to 2017. However, usage quantities also depend on customers' steel specifications which dictate quantities in which some substances are used. Some variability is observed in quantities reported under "releases to air", "releases to water" as well as "contained in product". Due to the batch process (rather than continues process) nature of ironmaking and steelmaking operations, some of the samples collected and used to determine compositions may not be representative of "releases to air", "releases to water" and "contained in product" throughout the entire calendar year. Substance quantities are also impacted by the disposal and recycling of secondary materials which vary from one year to another (example: the timing in which some secondary materials are sent to landfill or recycled back into commerce as a useful raw material for other applications).

The following substances are impacted by all operations at Lake Erie Works: nitrogen oxides, chlorine, particulate matter, PM2.5 and PM10.

The nitrogen oxides quantities associated with "creation" and "releases to air" were slightly higher in 2018 compared to 2017 as a result of increased production of steel. As the primary oxidizing agent, the "usage" and "releases to water" for chlorine increased in 2018 as more water was processed at the on-site wastewater treatment plant. The "creation" and "releases to air" for particulate matter, PM2.5 and PM10 vary from one year to another because they are highly impacted by both production and weather conditions (primarily wind and precipitation).

Reduction Objectives

Please refer to the Reduction Summary Plans for the reduction objective for each substance: https://www.stelco.com/community/environment/compliance-reports

Steps Taken to Achieve Objectives and Assess Effectiveness

The substances reported by Lake Erie Works are either required for its products and processes, are generated as unavoidable by-products, or are incidental trace elements in raw materials. Where feasible, these substances are managed by recycling and maintaining inventories that are as low as possible.

For further details please refer to the following: https://www.stelco.com/community/environment/compliance-reports

Certification

As of *June 1, 2019*, I *Sujit Sanyal*, certify that I have read the records created for the purposes of section 11.2 of Ontario Regulation 455/09(General) made under the Toxics Reductions Act, (2009) in respect of the use and creation of the toxic substances referred to above and am familiar with their contents and to my knowledge they are factually accurate.

Sujit Sanyal <

Chief Operating Officer

Stelco Inc – Lake Erie Works